

Referenzen

1. Fachinformation mRESVIA. Verfügbar unter: <https://assets.modernatx.com/mresvia-smpc-de.pdf>, aktueller Stand.
2. Fachinformation Abrysvo. Verfügbar unter: https://www.ema.europa.eu/de/documents/product-information/abrysvo-epar-product-information_de.pdf, zuletzt abgerufen: 28.07.2026.
3. Fachinformation Arexvy. Verfügbar unter: https://www.ema.europa.eu/de/documents/product-information/arexvy-epar-product-information_de.pdf, zuletzt abgerufen: 28.07.2026.
4. Fachinformation Beyfortus. Verfügbar unter: https://www.ema.europa.eu/de/documents/product-information/beyfortus-epar-product-information_de.pdf, zuletzt abgerufen: 28.07.2026.
5. Mehta, D., et al. (2024). Vaccine preparation time, errors, satisfaction, and preference of prefilled syringes versus RSV vaccines requiring reconstitution: randomized, time and motion study. *J Med Econ*, 27(1), 887–896. <https://doi.org/10.1080/13696998.2024.2370177>
6. Moreira ME, et al. Color-Coded Prefilled Medication Syringes Decrease Time to Delivery and Dosing Error in Simulated Emergency Department Pediatric Resuscitations. *Ann Emerg Med*. August 2015;66(2):97–106.e3.
7. Makwana S, et al. Prefilled syringes: An innovation in parenteral packaging. *Int J Pharm Investig*. October–December 2011;1(4):200–6.
8. Icardi G, et al. Preferences of healthcare professionals regarding hexavalent pediatric vaccines in Italy: a survey of attitudes and expectations. *J Prev Med Hyg*. October 2020;61(3)–E444.
9. Mehta D, et al. Vaccine Time, Cost and Preference Comparison Between Pre-Filled Syringe Formulations and Vaccines That Require Reconstitution: A Targeted Literature Review. Präsentiert auf dem: ISPOR Europe; 12.–15. November 2023; Kopenhagen, Dänemark.